



MONTAGUE BOARD OF HEALTH

One Avenue A · Turners Falls, MA 01376

TELEPHONE 413-863-3200 EXT 205 · FAX 413-863-3225

GINA MCNEELY, R.S., CHO
DIRECTOR OF PUBLIC HEALTH

NOTICE OF A PUBLIC HEARING

Wednesday, August 15, 2018

6:00 PM

Montague Town Hall

1 Avenue A, Turners Falls, MA 01376

Downstairs Meeting Room

Public Hearing: **Notice is hereby given to John and Kathleen Burek of 4 Burek Drive, Montague, MA 01351.**

This notice shall inform you that your presence is requested at a public hearing which will be held on August 15, 2018 at 6:00 PM at the above location.

The purpose of the hearing is to discuss repair of the failed soil absorption portion of the on-site septic system located at 4 Burek Drive, Montague, MA 01351, Montague Assessor's Map 41 Lot 17.

All affected parties have a right to inspect and request copies of files at the Board of Health office concerning the matter to be heard. You may bring counsel, your system designer or any other party with you to the hearing.

NOTE: THERE IS AN ELEVATOR AT THE END OF THE FIRST FLOOR HALLWAY. GO TO THE LAST DOORWAY ON THE LEFT.

YOU CAN ALSO ACCESS THE ELEVATOR BY ENTERING THE BUILDING AT GROUND LEVEL ON THE EAST (RIVER SIDE) OF THE BUILDING.

Gina McNeely
Director of Public Health

The Town of Montague is an Equal Opportunity Provider and Employer